

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

JACKSON

[County Base Map](#)

(Records are Sorted by Township, Range, and Section)

LOG ID:
021283

WELL TYPE
Noncommunity Public Well

<u>DRILL DATE:</u>		<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,041FT
		47N	29W	19		
<u>DRILL DEPTH:</u>	150FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				398,328.23	4,302,437.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	LONE JACK BATTLEFIELD - DRY & ABANDONED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
011380

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1950/04/28	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,013FT
		47N	29W	30		
<u>DRILL DEPTH:</u>	500FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	40FT				399,043.23	4,301,620.86
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of W.A. Sieh - "WELL DESTROYED BY BULLDOZER"			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
020855

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1962/05/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,005FT
		47N	29W	31		
<u>DRILL DEPTH:</u>	400FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	20FT				398,154.25	4,300,188.85
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	formerly in name of T.D. Turnbow - YIELD - 25-30 GPH; WELL REDRILLED TO TD OF 400'			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
013451

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1955/04/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	965FT
		47N	29W	9		
<u>DRILL DEPTH:</u>	350FT				<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	10FT				402,193.16	4,306,358.90
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	LONE JACK			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002578**WELL TYPE

Gas Well

DRILL DATE: 1932/06/01TOWNSHIP RANGE SECTION

47N

30W

14

ELEVATION: 1,028FTDRILL DEPTH: 1,265FTUTM X UTM YDEPTH TO BED: 10FT396,399.25 4,304,261.88
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #6 D. LEE SHAWHAN - GASS.W.L. (AFTER CASING):**LOG ID:****022295**WELL TYPE

Private Well

DRILL DATE: 1963/02/03TOWNSHIP RANGE SECTION

47N

30W

2

ELEVATION: 972FTDRILL DEPTH: 106FTUTM X UTM YDEPTH TO BED: 25FT395,761.25 4,308,336.91
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 38**LOG ID:****004443**WELL TYPE

Private Well

DRILL DATE: 1937/09/8TOWNSHIP RANGE SECTION

47N

30W

24

ELEVATION: 993FTDRILL DEPTH: 430FTUTM X UTM YDEPTH TO BED: 8FT397,924.24 4,302,870.87
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 D. LEE SHAWHAN - WATER WELL - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****026778**WELL TYPE

Private Well

DRILL DATE: 1969/04/30TOWNSHIP RANGE SECTION

47N

30W

34

ELEVATION: 950FTDRILL DEPTH: 110FTUTM X UTM YDEPTH TO BED: 6FT393,528.30 4,300,269.84
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 2.5 MI E ON STRINGTOWN RD OF HWY, 0.5 MI S ON HAMILTON RDS.W.L. (AFTER CASING): 60



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018728**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

974FT

DRILL DEPTH:

250FT

47N

30W

4

DEPTH TO BED:

20FT

UTM XUTM Y

392,846.29

4,307,991.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRYS.W.L. (AFTER CASING):**LOG ID:****009776**WELL TYPE

Private Well

DRILL DATE:

1947/12/06

TOWNSHIPRANGESECTIONELEVATION:

1,006FT

DRILL DEPTH:

115FT

47N

31W

13

DEPTH TO BED:

15FT

UTM XUTM Y

388,457.32

4,304,650.87

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

33

LOG ID:**002096**WELL TYPE

Oil Well

DRILL DATE:

1921//

TOWNSHIPRANGESECTIONELEVATION:

966FT

DRILL DEPTH:

2,520FT

47N

31W

27

DEPTH TO BED:

16FT

UTM XUTM Y

384,639.32

4,301,597.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLY, NO UNITS IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****015344**WELL TYPE

Private Well

DRILL DATE:

1956/07/01

TOWNSHIPRANGESECTIONELEVATION:

914FT

DRILL DEPTH:

70FT

47N

31W

34

DEPTH TO BED:

20FT

UTM XUTM Y

384,343.32

4,299,994.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: GREENWOODS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003478**WELL TYPE

Private Well

DRILL DATE: 1935/10/19TOWNSHIP

47N

RANGE

31W

SECTION

5

ELEVATION:

978FT

DRILL DEPTH: 320FTDEPTH TO BED: 275FTUTM X

381,493.31

UTM Y

4,308,497.88

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "HOOVER"S.W.L. (AFTER CASING):**LOG ID:****008565**WELL TYPE

Oil Well

DRILL DATE: 1944/06/09TOWNSHIP

47N

RANGE

32W

SECTION

16

ELEVATION:

883FT

DRILL DEPTH: 232FTDEPTH TO BED: 10FTUTM X

373,361.31

UTM Y

4,306,274.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 LONGVIEWS.W.L. (AFTER CASING):**LOG ID:****008576**WELL TYPE

Oil Well

DRILL DATE: 1944/06/26TOWNSHIP

47N

RANGE

32W

SECTION

16

ELEVATION:

899FT

DRILL DEPTH: 260FTDEPTH TO BED: 20FTUTM X

373,461.31

UTM Y

4,306,375.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 LONGVIEW, DRY & ABANDONED; 600' N OF #1S.W.L. (AFTER CASING):**LOG ID:****008597**WELL TYPE

Oil Well

DRILL DATE: 1944/07/18TOWNSHIP

47N

RANGE

32W

SECTION

16

ELEVATION:

893FT

DRILL DEPTH: 243FTDEPTH TO BED: 10FTUTM X

373,561.31

UTM Y

4,306,274.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 LONGVIEW - OIL IN HEPLER SDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008598**WELL TYPE

Oil Well

DRILL DATE: 1944/07/27TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 912FTDRILL DEPTH: 245FTUTM X UTM YDEPTH TO BED: 16FT373,561.31 4,306,375.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #4 LONGVIEWS.W.L. (AFTER CASING):**LOG ID:****008608**WELL TYPE

Oil Well

DRILL DATE: 1944/08/16TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 884FTDRILL DEPTH: 229FTUTM X UTM YDEPTH TO BED: 14FT373,761.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #5 LONGVIEW - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****008634**WELL TYPE

Oil Well

DRILL DATE: 1944/09/08TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 910FTDRILL DEPTH: 415FTUTM X UTM YDEPTH TO BED: 8FT373,861.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #6 LONGVIEW - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****008635**WELL TYPE

Oil Well

DRILL DATE: 1944/09/18TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 888FTDRILL DEPTH: 221FTUTM X UTM YDEPTH TO BED: 12FT373,861.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #7 LONGVIEW - Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008684**WELL TYPE

Oil Well

DRILL DATE: 1944/10/18TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 886FTDRILL DEPTH: 317FTUTM X UTM YDEPTH TO BED: 5FT373,861.31 4,305,971.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #8 LONGVIEW;S.W.L. (AFTER CASING):**LOG ID:****008685**WELL TYPE

Oil Well

DRILL DATE: 1944/11/01TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 890FTDRILL DEPTH: 220FTUTM X UTM YDEPTH TO BED: 5FT373,961.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #9 LONGVIEW - DRY & ABANDONED - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****008695**WELL TYPE

Oil Well

DRILL DATE: 1945/01/27TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 893FTDRILL DEPTH: 231FTUTM X UTM YDEPTH TO BED: 10FT373,761.31 4,305,161.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #10 LONGVIEW - DRY & ABANDONED - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****008817**WELL TYPE

Oil Well

DRILL DATE: 1945/04/03TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 893FTDRILL DEPTH: 381FTUTM X UTM YDEPTH TO BED:373,561.31 4,305,971.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #11 LONGVIEW - DRY & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008822**WELL TYPE

Oil Well

DRILL DATE: 1945/04/19TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 892FTDRILL DEPTH: 238FTUTM X UTM YDEPTH TO BED: 10FT373,961.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #12 LONGVIEW - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****008823**WELL TYPE

Oil Well

DRILL DATE: 1945/05/25TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 887FTDRILL DEPTH: 225FTUTM X UTM YDEPTH TO BED: 20FT373,561.31 4,305,870.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #13 LONGVIEWS.W.L. (AFTER CASING):**LOG ID:****008862**WELL TYPE

Gas Well

DRILL DATE: 1945/07/01TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 892FTDRILL DEPTH: 229FTUTM X UTM YDEPTH TO BED:373,861.31 4,305,666.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 JONES - GAS WELLS.W.L. (AFTER CASING):**LOG ID:****008863**WELL TYPE

Oil Well

DRILL DATE: 1945/08/01TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 900FTDRILL DEPTH: 400FTUTM X UTM YDEPTH TO BED: 10FT373,961.31 4,305,464.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 GEORGE JONES - DRY & ABANDONED - NO SANDSTONES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008870**WELL TYPE

Oil Well

DRILL DATE: 1945/08/13TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 935FTDRILL DEPTH: 266FTUTM XUTM YDEPTH TO BED: 15FT

373,561.31 4,305,464.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 JONES - OIL 250-266'S.W.L. (AFTER CASING):**LOG ID:****008966**WELL TYPE

Oil Well

DRILL DATE: 1945/10/19TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 889FTDRILL DEPTH: 220FTUTM XUTM YDEPTH TO BED:

373,961.31 4,305,666.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 A.J. SCHIRER - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****009048**WELL TYPE

Gas Well

DRILL DATE: 1946/01/10TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 920FTDRILL DEPTH: 586FTUTM XUTM YDEPTH TO BED: 15FT

373,361.31 4,305,666.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4 GEORGE JONES; OIL - 240-330' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****009061**WELL TYPE

Oil Well

DRILL DATE: 1946/02/31TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 927FTDRILL DEPTH: 264FTUTM XUTM YDEPTH TO BED: 15FT

373,361.31 4,305,464.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #5 JONES - Driller's Log AttachedS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009105

WELL TYPE
Oil Well

DRILL DATE: 1946/03/28

TOWNSHIP RANGE SECTION

ELEVATION: 933FT

DRILL DEPTH: 275FT

47N 32W 16

DEPTH TO BED:

UTM X UTM Y
373,361.31 4,305,464.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #6 JONES - 350' S OF #5 JONES

S.W.L. (AFTER CASING):

LOG ID:
009142

WELL TYPE
Oil Well

DRILL DATE: 1946/04/27

TOWNSHIP RANGE SECTION

ELEVATION: 921FT

DRILL DEPTH: 251FT

47N 32W 16

DEPTH TO BED: 10FT

UTM X UTM Y
373,361.31 4,305,464.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #7 GEORGE JONES

S.W.L. (AFTER CASING):

LOG ID:
009230

WELL TYPE
Oil Well

DRILL DATE: 1946/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 914FT

DRILL DEPTH: 256FT

47N 32W 16

DEPTH TO BED: 15FT

UTM X UTM Y
373,361.31 4,305,666.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #8 JONES

S.W.L. (AFTER CASING):

LOG ID:
009578

WELL TYPE
Oil Well

DRILL DATE: 1947/06/19

TOWNSHIP RANGE SECTION

ELEVATION: 945FT

DRILL DEPTH: 288FT

47N 32W 16

DEPTH TO BED: 12FT

UTM X UTM Y
373,261.31 4,305,768.85
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #3 PETE NAVE - 0-110' Driller's Log Attached

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009781

WELL TYPE
Gas Well

DRILL DATE: 1947/10/28

TOWNSHIP RANGE SECTION

ELEVATION: 961FT

DRILL DEPTH: 610FT

47N 32W 16

DEPTH TO BED: 10FT

UTM X UTM Y
372,961.31 4,305,060.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #5 PETE NAVE; 300' SW OF #4 NAVE

S.W.L. (AFTER CASING):

LOG ID:
009846

WELL TYPE
Oil Well

DRILL DATE: 1946/08/01

TOWNSHIP RANGE SECTION

ELEVATION: 904FT

DRILL DEPTH: 254FT

47N 32W 16

DEPTH TO BED: 10FT

UTM X UTM Y
373,461.31 4,305,666.85
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #9 GEORGE JONES - OIL TEST

S.W.L. (AFTER CASING):

LOG ID:
009848

WELL TYPE
Oil Well

DRILL DATE: 1946/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 921FT

DRILL DEPTH: 271FT

47N 32W 16

DEPTH TO BED: 17FT

UTM X UTM Y
373,361.31 4,305,666.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #10 GEORGE JONES - OIL TEST

S.W.L. (AFTER CASING):

LOG ID:
009860

WELL TYPE
Oil Well

DRILL DATE: 1946/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 929FT

DRILL DEPTH: 278FT

47N 32W 16

DEPTH TO BED: 24FT

UTM X UTM Y
373,361.31 4,305,666.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #11 GEORGE JONES - OIL TEST

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**009908**WELL TYPE

Oil Well

DRILL DATE: 1947/12/13TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 902FTDRILL DEPTH: 275FTUTM X UTM YDEPTH TO BED: 20FT373,561.31 4,305,666.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #12 JONES - OIL TEST - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****009931**WELL TYPE

Oil Well

DRILL DATE: 1947/02/27TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 900FTDRILL DEPTH: 250FTUTM X UTM YDEPTH TO BED: 5FT373,561.31 4,305,666.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #13 JONES - OIL TESTS.W.L. (AFTER CASING):**LOG ID:****009948**WELL TYPE

Oil Well

DRILL DATE: 1948/02/01TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 948FTDRILL DEPTH: 308FTUTM X UTM YDEPTH TO BED: 25FT373,061.31 4,305,161.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #6 PETE NAVES.W.L. (AFTER CASING):**LOG ID:****010153**WELL TYPE

Oil Well

DRILL DATE: 1948/05/28TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 953FTDRILL DEPTH: 310FTUTM X UTM YDEPTH TO BED: 25FT372,961.31 4,305,060.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #8 PETE NAVES.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010172

WELL TYPE
Oil Well

DRILL DATE: 1947/05/07

TOWNSHIP RANGE SECTION

ELEVATION: 931FT

DRILL DEPTH: 268FT

47N 32W 16

DEPTH TO BED: 10FT

UTM X UTM Y
373,161.31 4,305,262.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 PETE NAVE - OIL

S.W.L. (AFTER CASING):

LOG ID:
010273

WELL TYPE
Oil Well

DRILL DATE: 1948/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 1,003FT

DRILL DEPTH: 338FT

47N 32W 16

DEPTH TO BED: 20FT

UTM X UTM Y
372,761.31 4,305,464.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #10 PETE NAVE - OIL - 225-230'

S.W.L. (AFTER CASING):

LOG ID:
010384

WELL TYPE
Oil Well

DRILL DATE: 1947/06/09

TOWNSHIP RANGE SECTION

ELEVATION: 934FT

DRILL DEPTH: 280FT

47N 32W 16

DEPTH TO BED: 15FT

UTM X UTM Y
373,061.31 4,305,161.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 PETE NAVE

S.W.L. (AFTER CASING):

LOG ID:
010562

WELL TYPE
Oil Well

DRILL DATE: 1947/08/31

TOWNSHIP RANGE SECTION

ELEVATION: 944FT

DRILL DEPTH: 548FT

47N 32W 16

DEPTH TO BED: 15FT

UTM X UTM Y
373,061.31 4,305,161.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #4 PETE NAVE

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**027947**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

889FT

DRILL DEPTH:

247FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

30FT

373,961.31

4,306,072.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #41 LONGVIEW - OILS.W.L. (AFTER CASING):**LOG ID:****027959**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

278FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

373,561.31

4,305,262.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #47 JONES - OIL - ACTIVE 7/7/81S.W.L. (AFTER CASING):**LOG ID:****028515**WELL TYPE

Oil Well

DRILL DATE:

1977/08/17

TOWNSHIPRANGESECTIONELEVATION:

880FT

DRILL DEPTH:

250FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

10FT

373,361.31

4,306,072.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #44 LONGVIEW - OILS.W.L. (AFTER CASING):**LOG ID:****028516**WELL TYPE

Injection Well (OIL FIELD)

DRILL DATE:

1977/08/22

TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

270FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

15FT

373,561.31

4,305,464.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4-W JONES; INJECTION WELLS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028517**WELL TYPE

Injection Well (OIL FIELD)

DRILL DATE: 1977/08/29TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 940FTDRILL DEPTH: 301FTUTM X UTM YDEPTH TO BED: 12FT373,561.31 4,305,464.84
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #5-W JONES - WATER INJECTION WELLS.W.L. (AFTER CASING):**LOG ID:****028520**WELL TYPE

Oil Well

DRILL DATE: 1978/05/11TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 865FTDRILL DEPTH: 260FTUTM X UTM YDEPTH TO BED: 4FT373,361.31 4,306,476.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #72 LONGVIEW - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****028536**WELL TYPE

Oil Well

DRILL DATE: 1978/12/01TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 910FTDRILL DEPTH: 280FTUTM X UTM YDEPTH TO BED: 5FT373,361.31 4,306,072.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #83 LONGVIEW - OILS.W.L. (AFTER CASING):**LOG ID:****028537**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

47N

32W

16

ELEVATION: 930FTDRILL DEPTH: 330FTUTM X UTM YDEPTH TO BED: 5FT373,161.31 4,305,870.85
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #86 LONGVIEW - OILS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028538**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

910FT

DRILL DEPTH:

290FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

10FT

373,961.31

4,306,274.85

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #89 LONGVIEW - OILS.W.L. (AFTER CASING):**LOG ID:****028539**WELL TYPE

Oil Well

DRILL DATE:

1978/12/01

TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH:

270FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

13FT

373,361.31

4,305,161.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #55 JONES O OILS.W.L. (AFTER CASING):**LOG ID:****028540**WELL TYPE

Oil Well

DRILL DATE:

1978/12/01

TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH:

330FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

10FT

373,161.31

4,305,666.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #64 JONESS.W.L. (AFTER CASING):**LOG ID:****028541**WELL TYPE

Oil Well

DRILL DATE:

1978/12/01

TOWNSHIPRANGESECTIONELEVATION:

899FT

DRILL DEPTH:

1,000FT

47N

32W

16

UTM XUTM YDEPTH TO BED:

805FT

373,361.31

4,305,666.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1-WS LONGVIEW - "WATER SUPPLY"S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020880

WELL TYPE
Private Well

DRILL DATE: 1960/11/01

TOWNSHIP RANGE SECTION

ELEVATION: 945FT

DRILL DEPTH: 200FT

47N 32W 17

DEPTH TO BED: 10FT

UTM X UTM Y
371,652.31 4,305,869.84
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: YIELD - 10 G/HOUR

S.W.L. (AFTER CASING): 70

LOG ID:
010103

WELL TYPE
Oil Well

DRILL DATE: 1948/05/04

TOWNSHIP RANGE SECTION

ELEVATION: 983FT

DRILL DEPTH: 318FT

47N 32W 21

DEPTH TO BED: 15FT

UTM X UTM Y
372,857.31 4,304,862.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #7 PETE NAVE - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
010184

WELL TYPE
Oil Well

DRILL DATE: 1948/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 962FT

DRILL DEPTH: 308FT

47N 32W 21

DEPTH TO BED: 30FT

UTM X UTM Y
372,957.31 4,304,862.84
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #9 PETE NAVE

S.W.L. (AFTER CASING):

LOG ID:
010432

WELL TYPE
Oil Well

DRILL DATE: 1948/10/20

TOWNSHIP RANGE SECTION

ELEVATION: 985FT

DRILL DEPTH: 327FT

47N 32W 21

DEPTH TO BED: 15FT

UTM X UTM Y
372,957.31 4,304,458.83
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 PORTERFIELD - OIL - HEPLER SD

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
010781

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1948/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	1,011FT
<u>DRILL DEPTH:</u>	350FT	47N	32W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	16FT				372,857.31	4,304,458.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#2 PORTERFIELD; "HOLE LOST BY PIPE COLLAPSING AFTER SHOOTING"			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
011318

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1949/07/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	994FT
<u>DRILL DEPTH:</u>	700FT	47N	32W	21	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	30FT				372,957.31	4,304,357.83
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#3 PORTERFIELD; SHOW IN BASAL SAND OF PLEASANTON GP, OIL & GAS			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
005153

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1938/10/31	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	823FT
<u>DRILL DEPTH:</u>	490FT	47N	32W	4	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	298FT				372,782.30	4,309,341.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#4 J. KLING - DRY & ABANDONED - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
005123

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1938/10/05	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	926FT
<u>DRILL DEPTH:</u>	426FT	47N	32W	5	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	390FT				372,067.30	4,309,342.87
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 J. KLING - OIL WELL - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>						

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005124

WELL TYPE
Oil Well

DRILL DATE: 1938/10/29

TOWNSHIP RANGE SECTION
47N 32W 5

ELEVATION: 933FT

DRILL DEPTH: 455FT

UTM X UTM Y
372,467.30 4,309,342.87
ZONE 15

DEPTH TO BED: 285FT

S.W.L. (BEFORE CASING):

REMARKS: #3 J. KLING - DRY & ABANDONED - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
005177

WELL TYPE
Oil Well

DRILL DATE: 1938/11/12

TOWNSHIP RANGE SECTION
47N 32W 5

ELEVATION: 910FT

DRILL DEPTH: 555FT

UTM X UTM Y
372,567.30 4,309,449.87
ZONE 15

DEPTH TO BED: 360FT

S.W.L. (BEFORE CASING):

REMARKS: #5 J. KLING - DRY & ABANDONED - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
005223

WELL TYPE
Oil Well

DRILL DATE: 1938/12/07

TOWNSHIP RANGE SECTION
47N 32W 5

ELEVATION: 913FT

DRILL DEPTH: 425FT

UTM X UTM Y
371,967.30 4,309,235.87
ZONE 15

DEPTH TO BED: 385FT

S.W.L. (BEFORE CASING):

REMARKS: #7 J. KLING - "SAVED AS AN OIL WELL" - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
005268

WELL TYPE
Oil Well

DRILL DATE: 1939/01/26

TOWNSHIP RANGE SECTION
47N 32W 5

ELEVATION: 942FT

DRILL DEPTH: 605FT

UTM X UTM Y
371,667.30 4,309,342.87
ZONE 15

DEPTH TO BED: 400FT

S.W.L. (BEFORE CASING):

REMARKS: #1 BANK (ERVIN) - DRY & ABANDONED - Driller's Log Attached

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004526**WELL TYPE

Private Well

DRILL DATE: 1937/11/12TOWNSHIP RANGE SECTION

47N

33W

27

ELEVATION: 1,041FTDRILL DEPTH: 114FTDEPTH TO BED: 5FTUTM X UTM Y

364,385.30 4,302,606.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: YIELD 0 10 G/HOURS.W.L. (AFTER CASING):**LOG ID:****028750**WELL TYPE

Oil Well

DRILL DATE: 1985/08/22TOWNSHIP RANGE SECTION

47N

33W

28

ELEVATION: 1,040FTDRILL DEPTH: 1,775FTDEPTH TO BED: 900FTUTM X UTM Y

363,468.30 4,303,228.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #EV-1 NORTH RHODEN ("EV-1 ENGLEVALE")S.W.L. (AFTER CASING):**LOG ID:****008724**WELL TYPE

Private Well

DRILL DATE: 1945/03/15TOWNSHIP RANGE SECTION

47N

33W

29

ELEVATION: 970FTDRILL DEPTH: 965FTDEPTH TO BED: 7FTUTM X UTM Y

362,360.30 4,302,859.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: "DRILLED FOR SWIMMING POOL"; #1 CHARLES SMITHS.W.L. (AFTER CASING):**LOG ID:****008836**WELL TYPE

Oil Well

DRILL DATE: 1945/07/29TOWNSHIP RANGE SECTION

47N

33W

32

ELEVATION: 874FTDRILL DEPTH: 889FTDEPTH TO BED: 8FTUTM X UTM Y

361,036.31 4,301,667.82

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TOM EDWARDS WELL - DRY & ABANDONEDS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006432

WELL TYPE
Oil Well

DRILL DATE: 1940/10/03 TOWNSHIP 47N RANGE 33W SECTION 9 ELEVATION: 824FT
DRILL DEPTH: 945FT UTM X 363,331.30 UTM Y 4,307,544.86
DEPTH TO BED: 350FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #W1 KLAPMEYER - MAY BE A WATER WELL - CAN'T TELL (ttt)
S.W.L. (AFTER CASING):

LOG ID:
027531

WELL TYPE
Private Well

DRILL DATE: 1974/02/01 TOWNSHIP 47N RANGE 33W SECTION 9 ELEVATION: 971FT
DRILL DEPTH: 650FT UTM X 364,331.30 UTM Y 4,307,342.86
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 FEE; ORIGINALLY AN OIL WELL; PLUGGED BACK TO 170' FOR
S.W.L. (AFTER CASING): WATER SUPPLY

LOG ID:
006178

WELL TYPE
Private Well

DRILL DATE: 1940/05/02 TOWNSHIP 48N RANGE 29W SECTION 31 ELEVATION: 975FT
DRILL DEPTH: 656FT UTM X 399,891.18 UTM Y 4,308,933.92
DEPTH TO BED: 270FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 526

LOG ID:
026678

WELL TYPE
Private Well

DRILL DATE: 1969/12/23 TOWNSHIP 48N RANGE 29W SECTION 32 ELEVATION: 955FT
DRILL DEPTH: 595FT UTM X 400,702.17 UTM Y 4,309,452.93
DEPTH TO BED: 2FT ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 325



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000004**WELL TYPE

Private Well

DRILL DATE: 1934/07/06TOWNSHIPRANGESECTIONELEVATION:

961FT

DRILL DEPTH: 200FT

48N

30W

19

DEPTH TO BED: 10FTUTM XUTM Y

390,235.30

4,313,635.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****022406**WELL TYPE

Unknown Well

DRILL DATE: 1963/07/22TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 60FT

48N

30W

31

DEPTH TO BED: 5FTUTM XUTM Y

389,778.31

4,309,692.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRY HOLE - "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****002428**WELL TYPE

Private Well

DRILL DATE: 1931/03/18TOWNSHIPRANGESECTIONELEVATION:

962FT

DRILL DEPTH: 870FT

48N

30W

4

DEPTH TO BED: 25FTUTM XUTM Y

393,873.25

4,317,070.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: WATER SALTY, BOTH PENN AND MISS SOURCES - WELL
ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****022505**WELL TYPE

Private Well

DRILL DATE: 1963/07/02TOWNSHIPRANGESECTIONELEVATION:

840FT

DRILL DEPTH: 85FT

48N

30W

4

DEPTH TO BED: 10FTUTM XUTM Y

393,373.26

4,317,567.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1 MI S, 1.25 MI W OF GRAIN VALLEYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007731

WELL TYPE
Oil Well

DRILL DATE: 1942/04/23

TOWNSHIP RANGE SECTION
48N 31W 11

ELEVATION: 806FT

DRILL DEPTH: 272FT

UTM X UTM Y
386,573.29 4,316,199.95
ZONE 15

DEPTH TO BED: 35FT

S.W.L. (BEFORE CASING):

REMARKS: #1 LIGGETT - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
008010

WELL TYPE
Oil Well

DRILL DATE: 1942/10/01

TOWNSHIP RANGE SECTION
48N 31W 11

ELEVATION: 796FT

DRILL DEPTH: 285FT

UTM X UTM Y
386,673.29 4,316,504.96
ZONE 15

DEPTH TO BED: 165FT

S.W.L. (BEFORE CASING):

REMARKS: #1 LIGGET - OIL

S.W.L. (AFTER CASING):

LOG ID:
008480

WELL TYPE
Oil Well

DRILL DATE: 1944/01/19

TOWNSHIP RANGE SECTION
48N 31W 11

ELEVATION: 796FT

DRILL DEPTH: 480FT

UTM X UTM Y
386,573.29 4,316,403.95
ZONE 15

DEPTH TO BED: 5FT

S.W.L. (BEFORE CASING):

REMARKS: #2 WALTER LIGGETT

S.W.L. (AFTER CASING):

LOG ID:
008683

WELL TYPE
Oil Well

DRILL DATE: 1944/11/13

TOWNSHIP RANGE SECTION
48N 31W 11

ELEVATION: 798FT

DRILL DEPTH: 692FT

UTM X UTM Y
386,773.29 4,316,403.96
ZONE 15

DEPTH TO BED: 57FT

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED (345-692')- SEE #8904 FOR COMPLETE LOG

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
008904

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1945/10/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	798FT
<u>DRILL DEPTH:</u>	692FT	48N	31W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	57FT				386,773.29	4,316,403.96
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1 WALTER LIGGETT; #8683 0-345', #8904 (COMPLETE LOG)			
<u>S.W.L. (AFTER CASING):</u>			345-692'			

LOG ID:
011001

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1947/10/29	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	796FT
<u>DRILL DEPTH:</u>	158FT	48N	31W	11	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	110FT				386,573.29	4,316,403.95
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#3 LIGGETT - DRY & ABANDONED			
<u>S.W.L. (AFTER CASING):</u>						

LOG ID:
007093

WELL TYPE
Private Well

<u>DRILL DATE:</u>	1941/09/10	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	948FT
<u>DRILL DEPTH:</u>	252FT	48N	31W	13	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	12FT				387,806.30	4,313,999.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>	FT	<u>REMARKS:</u>	YIELD - 140 GAL IN 15.5 HOURS - 0-110' - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>	125					

LOG ID:
004090

WELL TYPE
Oil Well

<u>DRILL DATE:</u>	1936/12/01	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	958FT
<u>DRILL DEPTH:</u>	800FT	48N	31W	14	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	15FT				387,292.30	4,314,179.94
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	#1-B GRAVES - 0-425' - Driller's Log Attached			
<u>S.W.L. (AFTER CASING):</u>						



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002346**WELL TYPE

Gas Well

DRILL DATE: 1930/03/11TOWNSHIP

48N

RANGE

31W

SECTION

15

ELEVATION:

916FT

DRILL DEPTH: 334FTDEPTH TO BED: 5FTUTM X

385,775.30

UTM Y

4,315,384.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #7 FEE; *1,666,000 CU FT GASS.W.L. (AFTER CASING):**LOG ID:****007378**WELL TYPE

Oil Well

DRILL DATE: 1941/12/05TOWNSHIP

48N

RANGE

31W

SECTION

23

ELEVATION:

904FT

DRILL DEPTH: 598FTDEPTH TO BED: 20FTUTM X

386,616.30

UTM Y

4,313,788.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 T.O. BOTEN - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****005458**WELL TYPE

Oil Well

DRILL DATE: 1939/06/09TOWNSHIP

48N

RANGE

31W

SECTION

27

ELEVATION:

835FT

DRILL DEPTH: 370FTDEPTH TO BED: 45FTUTM X

384,521.30

UTM Y

4,311,657.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 FLORENCE - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****010175**WELL TYPE

Oil Well

DRILL DATE: 1947/04/18TOWNSHIP

48N

RANGE

31W

SECTION

28

ELEVATION:

953FT

DRILL DEPTH: 223FTDEPTH TO BED: 10FTUTM X

383,993.30

UTM Y

4,311,423.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 FEES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010383**WELL TYPE

Oil Well

DRILL DATE: 1947/05/30TOWNSHIP RANGE SECTION

48N

31W

28

ELEVATION: 926FTDRILL DEPTH: 209FTUTM X UTM YDEPTH TO BED: 10FT383,693.30 4,311,526.91
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 G.A. RAYBOLTS.W.L. (AFTER CASING):**LOG ID:****024627**WELL TYPE

Private Well

DRILL DATE: 1963/08/11TOWNSHIP RANGE SECTION

48N

31W

28

ELEVATION: 915FTDRILL DEPTH: 150FTUTM X UTM YDEPTH TO BED: 2FT383,593.30 4,311,009.91
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 30**LOG ID:****005301**WELL TYPE

Oil Well

DRILL DATE: 1939/03/24TOWNSHIP RANGE SECTION

48N

31W

34

ELEVATION: 925FTDRILL DEPTH: 450FTUTM X UTM YDEPTH TO BED: 55FT385,242.30 4,310,036.90
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 FEES.W.L. (AFTER CASING):**LOG ID:****005510**WELL TYPE

Oil Well

DRILL DATE: 1939/07/14TOWNSHIP RANGE SECTION

48N

31W

34

ELEVATION: 904FTDRILL DEPTH: 450FTUTM X UTM YDEPTH TO BED:385,142.31 4,309,728.90
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 F. BLACKWELL - Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007116**WELL TYPE

Oil Well

DRILL DATE: 1941/09/14TOWNSHIPRANGESECTIONELEVATION:

920FT

DRILL DEPTH: 448FT

48N

31W

34

DEPTH TO BED: 10FTUTM XUTM Y

385,242.30

4,310,240.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 FEE; DRY & ABANDONED - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****010131**WELL TYPE

Private Well

DRILL DATE: 1948/06/01TOWNSHIPRANGESECTIONELEVATION:

894FT

DRILL DEPTH: 160FT

48N

31W

34

DEPTH TO BED: 40FTUTM XUTM Y

385,042.30

4,310,446.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010181**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1948/06/09TOWNSHIPRANGESECTIONELEVATION:

896FT

DRILL DEPTH: 100FT

48N

31W

34

DEPTH TO BED: 15FTUTM XUTM Y

385,142.30

4,310,446.91

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PRAIRIE LEE PARK #2 - DRY?S.W.L. (AFTER CASING):**LOG ID:****004749**WELL TYPE

Oil Well

DRILL DATE: 1938/04/08TOWNSHIPRANGESECTIONELEVATION:

907FT

DRILL DEPTH: 475FT

48N

31W

6

DEPTH TO BED: 450FTUTM XUTM Y

379,817.30

4,317,940.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 MICHAELSS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004837

WELL TYPE
Oil Well

DRILL DATE: 1938/06/07

TOWNSHIP RANGE SECTION
48N 31W 6

ELEVATION: 906FT

DRILL DEPTH: 490FT

UTM X UTM Y
380,417.30 4,317,738.95
ZONE 15

DEPTH TO BED: 28FT

S.W.L. (BEFORE CASING):

REMARKS: #2A HENRY ESS - Driller's Log Attached - 0-450' -

S.W.L. (AFTER CASING):

LOG ID:
004838

WELL TYPE
Gas Well

DRILL DATE: 1938/06/02

TOWNSHIP RANGE SECTION
48N 31W 6

ELEVATION: 889FT

DRILL DEPTH: 465FT

UTM X UTM Y
380,017.30 4,317,738.95
ZONE 15

DEPTH TO BED: 32FT

S.W.L. (BEFORE CASING):

REMARKS: #1A HENRY ESS - DRILLER'S LOG ONLY 0-410'

S.W.L. (AFTER CASING):

LOG ID:
004845

WELL TYPE
Oil Well

DRILL DATE: 1938/06/10

TOWNSHIP RANGE SECTION
48N 31W 6

ELEVATION: 887FT

DRILL DEPTH: 488FT

UTM X UTM Y
380,617.30 4,317,638.95
ZONE 15

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

REMARKS: #1 MOYER - DRY & ABANDONED - Driller's Log Attached 0-450'

S.W.L. (AFTER CASING):

LOG ID:
004849

WELL TYPE
Oil Well

DRILL DATE: 1938/06/16

TOWNSHIP RANGE SECTION
48N 31W 6

ELEVATION: 910FT

DRILL DEPTH: 500FT

UTM X UTM Y
380,317.30 4,317,538.95
ZONE 15

DEPTH TO BED: 8FT

S.W.L. (BEFORE CASING):

REMARKS: #3A HENRY ESS - DRY & ABANDONED - Driller's Log Attached 0-435'

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004882**WELL TYPE

Gas Well

DRILL DATE: 1938/06/27TOWNSHIPRANGESECTIONELEVATION:

899FT

DRILL DEPTH: 475FT

48N

31W

6

DEPTH TO BED: 14FTUTM XUTM Y

379,817.30

4,317,940.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 RICE ADAMS - Driller's Log Attached 0-445'S.W.L. (AFTER CASING):**LOG ID:****004735**WELL TYPE

Oil Well

DRILL DATE: 1938/04/25TOWNSHIPRANGESECTIONELEVATION:

937FT

DRILL DEPTH: 500FT

48N

31W

8

DEPTH TO BED: 15FTUTM XUTM Y

381,338.30

4,316,647.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 FEE - DRY & ABANDONED - 0-450' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****004878**WELL TYPE

Oil Well

DRILL DATE: 1938/06/24TOWNSHIPRANGESECTIONELEVATION:

904FT

DRILL DEPTH: 500FT

48N

31W

8

DEPTH TO BED: 450FTUTM XUTM Y

381,438.30

4,317,055.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 HENDERSON & WORMAN - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****004880**WELL TYPE

Oil Well

DRILL DATE: 1938/06/30TOWNSHIPRANGESECTIONELEVATION:

878FT

DRILL DEPTH: 475FT

48N

31W

8

DEPTH TO BED: 440FTUTM XUTM Y

381,338.30

4,317,259.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 HENDERS0N & WORMAN - DRY & ABANDONED - Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004899**WELL TYPE

Oil Well

DRILL DATE: 1938/07/07TOWNSHIP RANGE SECTION

48N

31W

8

ELEVATION: 852FTDRILL DEPTH: 450FTUTM X UTM YDEPTH TO BED: 385FT381,338.30 4,317,259.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #3 HENDERSON & WORMANS.W.L. (AFTER CASING):**LOG ID:****005121**WELL TYPE

Oil Well

DRILL DATE: 1938/10/17TOWNSHIP RANGE SECTION

48N

31W

8

ELEVATION: 838FTDRILL DEPTH: 408FTUTM X UTM YDEPTH TO BED: 375FT382,138.30 4,316,851.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #5 HENDERSON & WORMAN - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****005122**WELL TYPE

Gas Well

DRILL DATE: 1938/10/12TOWNSHIP RANGE SECTION

48N

31W

8

ELEVATION: 900FTDRILL DEPTH: 463FTUTM X UTM YDEPTH TO BED: 430FT382,638.30 4,316,749.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #4 HENDERSON & WORMAN - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****005175**WELL TYPE

Oil Well

DRILL DATE: 1938/10/20TOWNSHIP RANGE SECTION

48N

31W

8

ELEVATION: 924FTDRILL DEPTH: 690FTUTM X UTM YDEPTH TO BED: 37FT382,638.30 4,316,647.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005120

WELL TYPE
Oil Well

DRILL DATE: 1938/10/28

TOWNSHIP RANGE SECTION
48N 31W 9

ELEVATION: 913FT

DRILL DEPTH: 500FT

UTM X UTM Y
383,045.30 4,316,258.95
ZONE 15

DEPTH TO BED: 460FT

S.W.L. (BEFORE CASING):

REMARKS: #1 ALFRED MILLER - DRY & ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
005176

WELL TYPE
Oil Well

DRILL DATE: 1938/11/22

TOWNSHIP RANGE SECTION
48N 31W 9

ELEVATION: 963FT

DRILL DEPTH: 550FT

UTM X UTM Y
383,645.30 4,316,463.95
ZONE 15

DEPTH TO BED: 515FT

S.W.L. (BEFORE CASING):

REMARKS: #2 ALFRED MILLER - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
004616

WELL TYPE
Oil Well

DRILL DATE:

TOWNSHIP RANGE SECTION
48N 32W 1

ELEVATION: 782FT

DRILL DEPTH: 510FT

UTM X UTM Y
378,647.30 4,318,626.95
ZONE 15

DEPTH TO BED: 470FT

S.W.L. (BEFORE CASING):

REMARKS: #1 KANSAS CITY LIFE INSURANCE CO.

S.W.L. (AFTER CASING):

LOG ID:
004660

WELL TYPE
Gas Well

DRILL DATE: 1938/02/10

TOWNSHIP RANGE SECTION
48N 32W 1

ELEVATION: 918FT

DRILL DEPTH: 500FT

UTM X UTM Y
378,847.30 4,318,430.95
ZONE 15

DEPTH TO BED: 460FT

S.W.L. (BEFORE CASING):

REMARKS: #1 HENRY ESS

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004661**WELL TYPE

Gas Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

908FT

DRILL DEPTH:

488FT

48N

32W

1

UTM XUTM YDEPTH TO BED:

450FT

379,147.30

4,318,430.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 F, WAHLS.W.L. (AFTER CASING):**LOG ID:****004667**WELL TYPE

Oil Well

DRILL DATE:

1938/03/28

TOWNSHIPRANGESECTIONELEVATION:

875FT

DRILL DEPTH:

438FT

48N

32W

1

UTM XUTM YDEPTH TO BED:

415FT

379,447.30

4,318,232.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 ESSS.W.L. (AFTER CASING):**LOG ID:****004680**WELL TYPE

Oil Well

DRILL DATE:

1938/03/28

TOWNSHIPRANGESECTIONELEVATION:

887FT

DRILL DEPTH:

467FT

48N

32W

1

UTM XUTM YDEPTH TO BED:

430FT

379,547.30

4,318,134.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #4 ESSS.W.L. (AFTER CASING):**LOG ID:****004835**WELL TYPE

Gas Well

DRILL DATE:

1938/06/06

TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH:

373FT

48N

32W

1

UTM XUTM YDEPTH TO BED:

28FT

379,247.30

4,318,430.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #2 FRED WAHL - Driller's Log Attached 0-260'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005748**WELL TYPE

Oil Well

DRILL DATE: 1939/11/14TOWNSHIP RANGE SECTION

48N

32W

16

ELEVATION: 960FTDRILL DEPTH: 651FTUTM X UTM YDEPTH TO BED: 17FT374,437.30 4,315,791.93
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 FEE (COX) - 0-445' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****005787**WELL TYPE

Oil Well

DRILL DATE: 1939/12/15TOWNSHIP RANGE SECTION

48N

32W

16

ELEVATION: 993FTDRILL DEPTH: 715FTUTM X UTM YDEPTH TO BED: 20FT374,637.30 4,315,587.92
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 FEE (OLD COX FARM)' 0-505' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****006349**WELL TYPE

Gas Well

DRILL DATE: 1940/09/01TOWNSHIP RANGE SECTION

48N

32W

16

ELEVATION: 960FTDRILL DEPTH: 320FTUTM X UTM YDEPTH TO BED: 10FT374,437.30 4,316,197.93
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #3 OLD COX FARM - 0-85' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****006379**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

48N

32W

16

ELEVATION: 978FTDRILL DEPTH: 585FTUTM X UTM YDEPTH TO BED: 400FT374,037.30 4,315,791.92
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 D.D. COX (O.W. COX ?)S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
006596

WELL TYPE
Gas Well

DRILL DATE: 1941/01/08

TOWNSHIP RANGE SECTION
48N 32W 16

ELEVATION: 983FT

DRILL DEPTH: 435FT

UTM X UTM Y
374,437.30 4,315,791.93
ZONE 15

DEPTH TO BED: 24FT

S.W.L. (BEFORE CASING):

REMARKS: #3 HILLTOP GARDENS (COX) - 0-112' - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
004530

WELL TYPE
Oil Well

DRILL DATE: 1937/11/12

TOWNSHIP RANGE SECTION
48N 32W 2

ELEVATION: 885FT

DRILL DEPTH: 459FT

UTM X UTM Y
377,244.30 4,318,357.95
ZONE 15

DEPTH TO BED: 405FT

S.W.L. (BEFORE CASING):

REMARKS: #1 HILLMAN

S.W.L. (AFTER CASING):

LOG ID:
004400

WELL TYPE
Oil Well

DRILL DATE: 1937/09/04

TOWNSHIP RANGE SECTION
48N 32W 21

ELEVATION: 801FT

DRILL DEPTH: 425FT

UTM X UTM Y
374,449.30 4,313,774.91
ZONE 15

DEPTH TO BED: 380FT

S.W.L. (BEFORE CASING):

REMARKS: #1 BYRNES

S.W.L. (AFTER CASING):

LOG ID:
005396

WELL TYPE
Oil Well

DRILL DATE: 1939/05/29

TOWNSHIP RANGE SECTION
48N 32W 22

ELEVATION: 846FT

DRILL DEPTH: 432FT

UTM X UTM Y
375,255.30 4,314,360.92
ZONE 15

DEPTH TO BED: 19FT

S.W.L. (BEFORE CASING):

REMARKS: #1 HARRISON - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004826

WELL TYPE
Gas Well

DRILL DATE: 1938/05/28

TOWNSHIP RANGE SECTION

ELEVATION: 914FT

DRILL DEPTH: 533FT

48N

32W

24

DEPTH TO BED: 8FT

UTM X

UTM Y

378,107.30 4,313,209.91
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #50 UNITY FARM - 0-515' - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
007040

WELL TYPE
Gas Well

DRILL DATE: 1941/08/06

TOWNSHIP RANGE SECTION

ELEVATION: 823FT

DRILL DEPTH: 410FT

48N

32W

26

DEPTH TO BED: 170FT

UTM X

UTM Y

376,801.30 4,311,391.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 FEE; GAS FROM SQUIRREL SAND; OLD WELL DEEPENED

S.W.L. (AFTER CASING):

240-410' - Driller's Log Attached

LOG ID:
007123

WELL TYPE
Gas Well

DRILL DATE: 1941/09/16

TOWNSHIP RANGE SECTION

ELEVATION: 837FT

DRILL DEPTH: 400FT

48N

32W

26

DEPTH TO BED: 26FT

UTM X

UTM Y

376,901.30 4,312,121.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 FEE; GAS FOR HOUSE USE - 0-365' - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
024352

WELL TYPE
Oil Well

DRILL DATE: 1966/07/01

TOWNSHIP RANGE SECTION

ELEVATION: 809FT

DRILL DEPTH: 232FT

48N

32W

26

DEPTH TO BED: 55FT

UTM X

UTM Y

376,801.30 4,311,391.90
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 WHITE; ONLY A FEW SCATTERED SAMPLES LOGGED

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**028314**WELL TYPE

Oil Well

DRILL DATE: 1979/06/01TOWNSHIP RANGE SECTION

48N

32W

26

ELEVATION: 800FTDRILL DEPTH: 580FTUTM X UTM YDEPTH TO BED: 60FT376,401.30 4,311,809.90
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 CAQUGLARD - OILS.W.L. (AFTER CASING):**LOG ID:****028598**WELL TYPE

Oil Well

DRILL DATE: 1983/07/07TOWNSHIP RANGE SECTION

48N

32W

26

ELEVATION: 831FTDRILL DEPTH: 290FTUTM X UTM YDEPTH TO BED: 20FT377,101.30 4,311,495.90
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 BROWNS.W.L. (AFTER CASING):**LOG ID:****021288**WELL TYPE

Private Well

DRILL DATE: 1962/07/27TOWNSHIP RANGE SECTION

48N

32W

27

ELEVATION: 828FTDRILL DEPTH: 175FTUTM X UTM YDEPTH TO BED:375,168.30 4,311,539.89
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: 0.5 MI W OF VALE STATIONS.W.L. (AFTER CASING): 90**LOG ID:****004396**WELL TYPE

Oil Well

DRILL DATE: 1937/08/28TOWNSHIP RANGE SECTION

48N

32W

29

ELEVATION: 993FTDRILL DEPTH: 615FTUTM X UTM YDEPTH TO BED: 535FT371,454.30 4,312,885.90
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005829**WELL TYPE

Oil Well

DRILL DATE: 1939/12/04TOWNSHIP RANGE SECTION

48N

32W

35

ELEVATION: 833FTDRILL DEPTH: 380FTUTM X UTM YDEPTH TO BED: 25FT

377,197.30 4,311,125.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: CLIFFORD - DRILLER'S LOG ONLY - NO UNITS IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****010731**WELL TYPE

Gas Well

DRILL DATE: 1949/03/01TOWNSHIP RANGE SECTION

48N

32W

35

ELEVATION: 965FTDRILL DEPTH: 433FTUTM X UTM YDEPTH TO BED: 5FT

376,897.30 4,310,409.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 FEES.W.L. (AFTER CASING):**LOG ID:****004897**WELL TYPE

Oil Well

DRILL DATE: 1938/07/02TOWNSHIP RANGE SECTION

48N

32W

4

ELEVATION: 964FTDRILL DEPTH: 475FTUTM X UTM YDEPTH TO BED: 10FT

373,891.31 4,319,296.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 CASSELL - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****001534**WELL TYPE

Gas Well

DRILL DATE: 1888//TOWNSHIP RANGE SECTION

48N

32W

7

ELEVATION: 908FTDRILL DEPTH: 2,400FTUTM X UTM YDEPTH TO BED: 30FT

370,604.30 4,317,833.93

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: VERY OLD WELL - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
009107

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/04/08 TOWNSHIP 48N RANGE 33W SECTION 35 ELEVATION: 927FT
DRILL DEPTH: 74FT UTM X 367,246.30 UTM Y 4,311,106.88
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
009115

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1946/04/02 TOWNSHIP 48N RANGE 33W SECTION 35 ELEVATION: 959FT
DRILL DEPTH: 95FT UTM X 367,246.30 UTM Y 4,311,106.88
DEPTH TO BED: 10FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS:
S.W.L. (AFTER CASING):

LOG ID:
002806

WELL TYPE
Oil Well

DRILL DATE: 1934/01/01 TOWNSHIP 48N RANGE 33W SECTION 36 ELEVATION: 1,029FT
DRILL DEPTH: 1,820FT UTM X 369,352.30 UTM Y 4,311,706.89
DEPTH TO BED: 19FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 BANNISTER, 1 MI N OF HICKMAN MILLS - OIL TEST
S.W.L. (AFTER CASING):

LOG ID:
002007

WELL TYPE
Gas Well

DRILL DATE: TOWNSHIP 48N RANGE 33W SECTION 7 ELEVATION: 1,018FT
DRILL DEPTH: 736FT UTM X 361,382.28 UTM Y 4,317,985.94
DEPTH TO BED: 12FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: Lot 15 Westmoreland Pl. - DRILLER'S LOG ONLY
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003401**WELL TYPE

Gas Well

DRILL DATE: 1935/07/08TOWNSHIP RANGE SECTION

48N

33W

8

ELEVATION: 965FTDRILL DEPTH: 740FTUTM X UTM Y

362,767.28 4,317,878.94

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****005573**WELL TYPE

Private Well

DRILL DATE: 1939/07/22TOWNSHIP RANGE SECTION

49N

29W

32

ELEVATION: 826FTDRILL DEPTH: 240FTUTM X UTM Y

401,369.12 4,319,275.03

ZONE 15

DEPTH TO BED:S.W.L. (BEFORE CASING):REMARKS: Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****006434**WELL TYPE

Private Well

DRILL DATE: 1940/10/21TOWNSHIP RANGE SECTION

49N

29W

7

ELEVATION: 822FTDRILL DEPTH: 180FTUTM X UTM Y

400,252.18 4,324,830.11

ZONE 15

DEPTH TO BED: 40FTS.W.L. (BEFORE CASING):REMARKS: Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****020877**WELL TYPE

Private Well

DRILL DATE: 1962/03/20TOWNSHIP RANGE SECTION

49N

30W

13

ELEVATION: 791FTDRILL DEPTH: 140FTUTM X UTM Y

398,289.20 4,323,157.07

ZONE 15

DEPTH TO BED: 35FTS.W.L. (BEFORE CASING): FTREMARKS: GRAIN VALLEYS.W.L. (AFTER CASING): 24



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**021184**WELL TYPE

Private Well

DRILL DATE: 1962/07/19TOWNSHIPRANGESECTIONELEVATION:

896FT

DRILL DEPTH: 245FT

49N

30W

15

DEPTH TO BED: 20FTUTM XUTM Y

395,458.25

4,323,292.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: @ GRAIN VALLEY - DRY, PLUGGEDS.W.L. (AFTER CASING):**LOG ID:****020067**WELL TYPE

Oil Well

DRILL DATE: 1960/09/01TOWNSHIPRANGESECTIONELEVATION:

967FT

DRILL DEPTH: 1,230FT

49N

30W

16

DEPTH TO BED: 10FTUTM XUTM Y

393,369.30

4,323,883.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 DODSON - PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****016275**WELL TYPE

Private Well

DRILL DATE: 1957/06/15TOWNSHIPRANGESECTIONELEVATION:

866FT

DRILL DEPTH: 200FT

49N

30W

2

DEPTH TO BED: 5FTUTM XUTM Y

396,413.26

4,327,704.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017308**WELL TYPE

Gas Well

DRILL DATE: 1957/06/15TOWNSHIPRANGESECTIONELEVATION:

974FT

DRILL DEPTH: 200FT

49N

30W

2

DEPTH TO BED: 15FTUTM XUTM Y

397,013.25

4,327,083.11

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: GAS FOR HOME; 2 GPM WATER @ 185'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018435**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

791FT

DRILL DEPTH:

111FT

49N

30W

23

DEPTH TO BED:

35FT

UTM XUTM Y

396,503.23

4,322,421.05

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

N OF GRAIN VALLEY

S.W.L. (AFTER CASING):

18

LOG ID:**018510**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

794FT

DRILL DEPTH:

100FT

49N

30W

23

DEPTH TO BED:

60FT

UTM XUTM Y

396,503.23

4,322,319.04

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:S.W.L. (AFTER CASING):

35

LOG ID:**005595**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1939/08/09

TOWNSHIPRANGESECTIONELEVATION:

815FT

DRILL DEPTH:

300FT

49N

30W

35

DEPTH TO BED:

50FT

UTM XUTM Y

396,173.22

4,319,601.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

NW CORNER OF SCHOOL - Driller's Log Attached

S.W.L. (AFTER CASING):**LOG ID:****004619**WELL TYPE

Oil Well

DRILL DATE:

1938/02/03

TOWNSHIPRANGESECTIONELEVATION:

925FT

DRILL DEPTH:

675FT

49N

31W

23

DEPTH TO BED:

18FT

UTM XUTM Y

386,506.31

4,322,038.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

#2 FEE - TO 315' - Driller's Log Attached

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004615

WELL TYPE
Oil Well

DRILL DATE: 1938/01/18

TOWNSHIP RANGE SECTION

ELEVATION: 874FT

DRILL DEPTH: 650FT

49N 31W 27

DEPTH TO BED: 11FT

UTM X UTM Y
385,392.31 4,321,416.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 FEE - DRY & ABANDONED - 0-195' - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
018818

WELL TYPE
Private Well

DRILL DATE: 1959/12/07

TOWNSHIP RANGE SECTION

ELEVATION: 768FT

DRILL DEPTH: 200FT

49N 31W 29

DEPTH TO BED: 4FT

UTM X UTM Y
382,491.31 4,321,358.98
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 1.5 MI E OF JCT LONG VIEW & OLD BANNISTER RD, N GATE LONG VIEW FARM

S.W.L. (AFTER CASING): 35

LOG ID:
021177

WELL TYPE
Private Well

DRILL DATE: 1962/08/04

TOWNSHIP RANGE SECTION

ELEVATION: 768FT

DRILL DEPTH: 245FT

49N 31W 29

DEPTH TO BED: 12FT

UTM X UTM Y
382,491.31 4,321,358.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: POOR LOCATION - SALT WATER - CAPPED

S.W.L. (AFTER CASING):

LOG ID:
004730

WELL TYPE
Oil Well

DRILL DATE: 1938/04/20

TOWNSHIP RANGE SECTION

ELEVATION: 824FT

DRILL DEPTH: 414FT

49N 31W 30

DEPTH TO BED: 10FT

UTM X UTM Y
379,972.31 4,321,359.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 HALL - DRY & ABANDONED, 0-375 - Driller's Log Attached

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004618**WELL TYPE

Oil Well

DRILL DATE: 1938/01/01TOWNSHIP RANGE SECTION

49N

31W

31

ELEVATION: 773FTDRILL DEPTH: 547FTUTM X UTM YDEPTH TO BED: 70FT381,088.31 4,319,757.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 SCOTT, 0-520' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****007415**WELL TYPE

Oil Well

DRILL DATE: 1941/12/15TOWNSHIP RANGE SECTION

49N

31W

5

ELEVATION: 791FTDRILL DEPTH: 482FTUTM X UTM YDEPTH TO BED: 50FT382,128.34 4,327,932.01
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 KELLY, DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****002311**WELL TYPE

Oil Well

DRILL DATE: 1926//TOWNSHIP RANGE SECTION

49N

31W

9

ELEVATION: 784FTDRILL DEPTH: 1,500FTUTM X UTM YDEPTH TO BED: 785FT383,852.34 4,326,836.01
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 TEETERS - DRY - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****013856**WELL TYPE

Private Well

DRILL DATE: 1955/07/28TOWNSHIP RANGE SECTION

49N

32W

13

ELEVATION: 899FTDRILL DEPTH: 215FTUTM X UTM YDEPTH TO BED: 95FT379,228.33 4,324,785.99
ZONE 15S.W.L. (BEFORE CASING):REMARKS: YIELD - 0.5-1 GPM; GLENDALE FARMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004728

WELL TYPE
Oil Well

DRILL DATE: 1938/04/20

TOWNSHIP RANGE SECTION

ELEVATION: 987FT

DRILL DEPTH: 590FT

49N

32W

15

DEPTH TO BED: 26FT

UTM X

UTM Y

376,529.33 4,324,288.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 OLDHAM - DRY & ABANDONED, 0-500 - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
004750

WELL TYPE
Oil Well

DRILL DATE: 1938/05/01

TOWNSHIP RANGE SECTION

ELEVATION: 934FT

DRILL DEPTH: 530FT

49N

32W

15

DEPTH TO BED: 23FT

UTM X

UTM Y

376,329.33 4,324,288.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #5 WITTE, DRY & ABANDONED - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
004816

WELL TYPE
Oil Well

DRILL DATE: 1938/05/27

TOWNSHIP RANGE SECTION

ELEVATION: 882FT

DRILL DEPTH: 465FT

49N

32W

15

DEPTH TO BED: 310FT

UTM X

UTM Y

375,529.33 4,325,102.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 INDIANA LAND & DEVELOPMENT CO.- OLD HOLE TO 300',
310-350- DL - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
004834

WELL TYPE
Gas Well

DRILL DATE: 1938/06/06

TOWNSHIP RANGE SECTION

ELEVATION: 900FT

DRILL DEPTH: 470FT

49N

32W

15

DEPTH TO BED: 205FT

UTM X

UTM Y

375,529.33 4,325,102.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 INDIANA LAND & DEVELOPMENT CO; BASAL 10' LOST WITH
DRILLING MUD - Driller's Log Attached

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004907**WELL TYPE

Oil Well

DRILL DATE: 1938/07/13TOWNSHIP RANGE SECTION

49N

32W

15

ELEVATION: 946FTDRILL DEPTH: 555FTUTM X UTM YDEPTH TO BED: 485FT

375,529.33 4,324,900.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 MRS. IDA C. WITTE; 0-485' - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****005459**WELL TYPE

Oil Well

DRILL DATE: 1939/06/17TOWNSHIP RANGE SECTION

49N

32W

15

ELEVATION: 905FTDRILL DEPTH: 485FTUTM X UTM YDEPTH TO BED: 20FT

375,329.33 4,325,306.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 INDIANA LAND & DEVELOPMENT CO - DRY & ABANDONED;
0-435' DRL LG - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****004451**WELL TYPE

Gas Well

DRILL DATE: 1937/09/22TOWNSHIP RANGE SECTION

49N

32W

16

ELEVATION: 944FTDRILL DEPTH: 540FTUTM X UTM YDEPTH TO BED: 30FT

374,522.33 4,324,391.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 BALDRY - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****004850**WELL TYPE

Gas Well

DRILL DATE: 1938/06/17TOWNSHIP RANGE SECTION

49N

32W

16

ELEVATION: 942FTDRILL DEPTH: 540FTUTM X UTM YDEPTH TO BED: 16FT

375,022.33 4,325,309.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GEORGE GERHARDT - 0-445' - Driller's Log AttachedS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
003391

WELL TYPE
Oil Well

DRILL DATE: 1935/06/25

TOWNSHIP RANGE SECTION
49N 32W 17

ELEVATION: 934FT

DRILL DEPTH: 539FT

UTM X UTM Y
372,117.33 4,325,120.97
ZONE 15

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

REMARKS: #1 WILLIAM WILSON - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
003476

WELL TYPE
Gas Well

DRILL DATE:

TOWNSHIP RANGE SECTION
49N 32W 17

ELEVATION: 957FT

DRILL DEPTH: 600FT

UTM X UTM Y
372,617.33 4,325,019.97
ZONE 15

DEPTH TO BED: 590FT

S.W.L. (BEFORE CASING):

REMARKS: #3 FEE - GAS WELL

S.W.L. (AFTER CASING):

LOG ID:
004189

WELL TYPE
Oil Well

DRILL DATE: 1935/09/

TOWNSHIP RANGE SECTION
49N 32W 17

ELEVATION: 906FT

DRILL DEPTH: 735FT

UTM X UTM Y
372,317.33 4,325,730.97
ZONE 15

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

REMARKS: OLD WELL DEEPENED FROM 540'; #3 MRS. M. WILSON -
DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
006576

WELL TYPE
Gas Well

DRILL DATE: 1940/11/01

TOWNSHIP RANGE SECTION
49N 32W 18

ELEVATION: 897FT

DRILL DEPTH: 482FT

UTM X UTM Y
371,330.33 4,325,035.97
ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

REMARKS: #3 MUNSELL ACRES - GAS WELL - Driller's Log Attached

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007353

WELL TYPE
Gas Well

DRILL DATE: 1941/11/20

TOWNSHIP RANGE SECTION

ELEVATION: 955FT

DRILL DEPTH: 610FT

49N

32W

18

DEPTH TO BED: 430FT

UTM X

UTM Y

371,530.33 4,325,035.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #4 FEE; GAS @ 440', 600-610' - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
008437

WELL TYPE
Oil Well

DRILL DATE: 1943/12/01

TOWNSHIP RANGE SECTION

ELEVATION: 933FT

DRILL DEPTH: 340FT

49N

32W

18

DEPTH TO BED: 2FT

UTM X

UTM Y

371,830.33 4,324,837.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #2 RUMMEL & MILES - Driller's Log Attached

S.W.L. (AFTER CASING):

LOG ID:
008491

WELL TYPE
Gas Well

DRILL DATE: 1944/02/02

TOWNSHIP RANGE SECTION

ELEVATION: 923FT

DRILL DEPTH: 466FT

49N

32W

18

DEPTH TO BED: 15FT

UTM X

UTM Y

371,830.33 4,324,738.97
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #3 RUMMEL & MILES

S.W.L. (AFTER CASING):

LOG ID:
008518

WELL TYPE
Gas Well

DRILL DATE: 1944/04/04

TOWNSHIP RANGE SECTION

ELEVATION: 873FT

DRILL DEPTH: 485FT

49N

32W

18

DEPTH TO BED: 5FT

UTM X

UTM Y

371,530.33 4,324,639.96
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 MARY McCCLURE - GAS WELL

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008479**WELL TYPE

Oil Well

DRILL DATE: 1944/01/12TOWNSHIP RANGE SECTION

49N

32W

19

ELEVATION: 938FTDRILL DEPTH: 550FTUTM X UTM YDEPTH TO BED: 8FT371,849.33 4,324,435.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 RUMMEL - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****001513**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

32W

20

ELEVATION: 923FTDRILL DEPTH: 969FTUTM X UTM YDEPTH TO BED: 12FT372,939.32 4,323,008.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****004714**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

32W

21

ELEVATION: 1,025FTDRILL DEPTH: 795FTUTM X UTM YDEPTH TO BED: 655FT374,252.33 4,323,599.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS: BRANNINGERS.W.L. (AFTER CASING):**LOG ID:****004973**WELL TYPE

Gas Well

DRILL DATE: 1938/03/31TOWNSHIP RANGE SECTION

49N

32W

22

ELEVATION: 1,028FTDRILL DEPTH: 670FTUTM X UTM YDEPTH TO BED: 555FT375,758.32 4,323,090.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #3 FEE; DEEPENED 4/1938 614-670' - Driller's Log AttachedS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
005011

WELL TYPE
Oil Well

DRILL DATE: 1938/09/21 TOWNSHIP 49N RANGE 32W SECTION 22 ELEVATION: 1,017FT
DRILL DEPTH: 624FT UTM X 375,458.32 UTM Y 4,323,090.97
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 BUEHLER - DRY & ABANDONED - Driller's Log Attached
S.W.L. (AFTER CASING):

LOG ID:
005506

WELL TYPE
Oil Well

DRILL DATE: 1939/07/30 TOWNSHIP 49N RANGE 32W SECTION 22 ELEVATION: 1,016FT
DRILL DEPTH: 495FT UTM X 376,258.32 UTM Y 4,323,090.97
DEPTH TO BED: 465FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 WISTON - Driller's Log Attached
S.W.L. (AFTER CASING):

LOG ID:
004827

WELL TYPE
Oil Well

DRILL DATE: 1938/05/22 TOWNSHIP 49N RANGE 32W SECTION 24 ELEVATION: 924FT
DRILL DEPTH: 511FT UTM X 378,860.32 UTM Y 4,322,569.97
DEPTH TO BED: 475FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 CRUWELL - DRY & ABANDONED - Driller's Log Attached
S.W.L. (AFTER CASING):

LOG ID:
004183

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 49N RANGE 32W SECTION 27 ELEVATION: 985FT
DRILL DEPTH: 540FT UTM X 375,968.32 UTM Y 4,321,485.96
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #2 FEE
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004480**WELL TYPE

Gas Well

DRILL DATE: 1937/09/01TOWNSHIP RANGE SECTION

49N

32W

27

ELEVATION: 1,032FTDRILL DEPTH: 595FTUTM XUTM YDEPTH TO BED: 560FT

375,768.32

4,322,497.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 HOMER WARES.W.L. (AFTER CASING):**LOG ID:****004488**WELL TYPE

Gas Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

32W

27

ELEVATION: 1,036FTDRILL DEPTH: 594FTUTM XUTM YDEPTH TO BED: 545FT

375,668.32

4,321,992.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 COOKS.W.L. (AFTER CASING):**LOG ID:****004591**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

32W

27

ELEVATION: 1,037FTDRILL DEPTH: 608FTUTM XUTM YDEPTH TO BED: 600FT

375,968.32

4,322,295.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 WALTER SCHULENBERG - "CUTTINGS BLOWN OUT WHILE DRILLING"S.W.L. (AFTER CASING):**LOG ID:****004836**WELL TYPE

Gas Well

DRILL DATE: 1938/06/01TOWNSHIP RANGE SECTION

49N

32W

30

ELEVATION: 920FTDRILL DEPTH: 405FTUTM XUTM YDEPTH TO BED: 14FT

371,662.32

4,321,528.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 PITCHER - 0-370' Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004479**WELL TYPE

Oil Well

DRILL DATE: 1937/10/03TOWNSHIPRANGESECTIONELEVATION:

1,008FT

DRILL DEPTH: 646FT

49N

32W

34

UTM XUTM YDEPTH TO BED: 615FT

375,689.31

4,320,895.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 J. HOWARD JACKSON - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****004592**WELL TYPE

Oil Well

DRILL DATE: 1937/12/29TOWNSHIPRANGESECTIONELEVATION:

922FT

DRILL DEPTH: 515FT

49N

32W

34

UTM XUTM YDEPTH TO BED: 455FT

376,489.31

4,319,671.95

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GLEN LAKE FISHING & SOCIAL CLUB - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****004437**WELL TYPE

Oil Well

DRILL DATE: 1937/09/13TOWNSHIPRANGESECTIONELEVATION:

973FT

DRILL DEPTH: 605FT

49N

32W

35

UTM XUTM YDEPTH TO BED: 520FT

376,695.31

4,320,786.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 ORLANDO TWIEHAUS - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****004527**WELL TYPE

Oil Well

DRILL DATE: 1937/11/11TOWNSHIPRANGESECTIONELEVATION:

834FT

DRILL DEPTH: 395FT

49N

32W

35

UTM XUTM YDEPTH TO BED: 260FT

376,895.31

4,319,766.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 KRLLRYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**004531**WELL TYPE

Oil Well

DRILL DATE: 1937/11/03TOWNSHIP RANGE SECTIONELEVATION: 833FTDRILL DEPTH: 405FT

49N 32W 35

DEPTH TO BED: 70FTUTM X UTM Y
376,895.31 4,319,460.95
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 T.B. HEMSLEYS.W.L. (AFTER CASING):**LOG ID:****004881**WELL TYPE

Oil Well

DRILL DATE: 1938/06/29TOWNSHIP RANGE SECTIONELEVATION: 844FTDRILL DEPTH: 428FT

49N 32W 35

DEPTH TO BED: 400FTUTM X UTM Y
377,695.31 4,319,562.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 H.S. CONWAY - DRY & ABANDONED - Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****000188**WELL TYPE

Dry Oil &/or Gas Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 863FTDRILL DEPTH: 451FT

49N 32W 5

DEPTH TO BED:UTM X UTM Y
373,666.34 4,327,931.99
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****000170**WELL TYPE

Gas Well

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 304FT

49N 32W 6

DEPTH TO BED: 15FTUTM X UTM Y
371,880.34 4,328,062.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008408**WELL TYPE

Oil Well

DRILL DATE: 1943/10/26TOWNSHIP

49N

RANGE

32W

SECTION

7

ELEVATION:

886FT

DRILL DEPTH: 433FTDEPTH TO BED: 20FTUTM X

372,008.34

UTM Y

4,327,049.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #3 OTTS.W.L. (AFTER CASING):**LOG ID:****011911**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE: 1952/03/17TOWNSHIP

49N

RANGE

32W

SECTION

7

ELEVATION:

780FT

DRILL DEPTH: 865FTDEPTH TO BED: 10FTUTM X

371,308.34

UTM Y

4,326,949.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PROSPECT FOR MINE SHAFTS.W.L. (AFTER CASING):**LOG ID:****008288**WELL TYPE

Oil Well

DRILL DATE: 1943/06/28TOWNSHIP

49N

RANGE

33W

SECTION

13

ELEVATION:

753FT

DRILL DEPTH: 500FTDEPTH TO BED: 62FTUTM X

369,734.33

UTM Y

4,325,954.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 WELLS BROTHERSS.W.L. (AFTER CASING):**LOG ID:****002557**WELL TYPE

Gas Well

DRILL DATE: 1932/04/21TOWNSHIP

49N

RANGE

33W

SECTION

18

ELEVATION:

743FT

DRILL DEPTH: 360FTDEPTH TO BED: 50FTUTM X

361,404.31

UTM Y

4,326,212.98

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 1530 W 30th K.C. - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**008432**WELL TYPE

Gas Well

DRILL DATE: 1943/11/24TOWNSHIP RANGE SECTION

49N

33W

18

ELEVATION: 941FTDRILL DEPTH: 455FTUTM XUTM YDEPTH TO BED: 10FT362,404.31 4,325,648.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #3 P.B. WILSONS.W.L. (AFTER CASING):**LOG ID:****000361**WELL TYPE

Unknown Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

33W

20

ELEVATION: 942FTDRILL DEPTH: 1,000FTUTM XUTM YDEPTH TO BED: 30FT362,445.31 4,324,939.97
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****001484**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTION

49N

33W

23

ELEVATION: 843FTDRILL DEPTH: 391FTUTM XUTM YDEPTH TO BED: 40FT367,944.32 4,323,933.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****008541**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1944/05/15TOWNSHIP RANGE SECTION

49N

33W

24

ELEVATION: 764FTDRILL DEPTH: 652FTUTM XUTM YDEPTH TO BED: 10FT369,656.33 4,323,727.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: PLANT @ LEEDS; NE COR 40TH & EWING - DRY & ABANDONEDS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002451**WELL TYPE

Gas Well

DRILL DATE: 1931/07/01TOWNSHIP RANGE SECTION

49N

33W

29

ELEVATION: 843FTDRILL DEPTH: 815FTUTM X UTM YDEPTH TO BED: 15FT363,346.30 4,322,117.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 FEE - 4949 ROCKHILL RDS.W.L. (AFTER CASING):**LOG ID:****002878**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

33W

29

ELEVATION: 864FTDRILL DEPTH: 840FTUTM X UTM YDEPTH TO BED: 20FT362,274.30 4,322,556.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 W.J. JENKINS; 48TH & WARNALL ST, KC - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****011319**WELL TYPE

Industrial High Capacity Well

DRILL DATE: 1950/00/00TOWNSHIP RANGE SECTION

49N

33W

3

ELEVATION: 833FTDRILL DEPTH: 242FTUTM X UTM YDEPTH TO BED: 240FT366,522.34 4,328,754.98
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 15 TH & BENTONS.W.L. (AFTER CASING):**LOG ID:****000387**WELL TYPE

Gas Well

DRILL DATE:TOWNSHIP RANGE SECTION

49N

33W

32

ELEVATION: 921FTDRILL DEPTH: 856FTUTM X UTM YDEPTH TO BED: 14FT363,449.30 4,321,733.96
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #2 FEE; 51ST & HOLMES, KCS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
001875

WELL TYPE
Gas Well

DRILL DATE: 1912/07/12

TOWNSHIP RANGE SECTION

ELEVATION: 919FT

DRILL DEPTH: 437FT

49N 33W 32

DEPTH TO BED: 14FT

UTM X UTM Y
363,449.30 4,321,631.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
001876

WELL TYPE
Gas Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 933FT

DRILL DEPTH: 539FT

49N 33W 32

DEPTH TO BED: 12FT

UTM X UTM Y
363,449.30 4,321,529.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #3 FEE; 52 & HOLMES, KC, DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
001877

WELL TYPE
Gas Well

DRILL DATE: 1912/09/16

TOWNSHIP RANGE SECTION

ELEVATION: 890FT

DRILL DEPTH: 500FT

49N 33W 32

DEPTH TO BED: 9FT

UTM X UTM Y
363,449.30 4,321,733.96
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #4 FEE; DRILLER'S LOG ONLY, 52ND & HOILMES ST, KC

S.W.L. (AFTER CASING):

LOG ID:
002788

WELL TYPE
Oil Well

DRILL DATE: 1933/09/15

TOWNSHIP RANGE SECTION

ELEVATION: 903FT

DRILL DEPTH: 947FT

49N 33W 32

DEPTH TO BED: 25FT

UTM X UTM Y
362,249.30 4,321,733.96
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FEE - DRY - 25-695' DRILLERS LOG ONLY

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
004529

WELL TYPE
Gas Well

DRILL DATE: 1937/05/22

TOWNSHIP RANGE SECTION

ELEVATION: 919FT

DRILL DEPTH: 410FT

49N 33W 36

DEPTH TO BED: 38FT

UTM X UTM Y
369,073.31 4,320,722.95
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 FEE

S.W.L. (AFTER CASING):

LOG ID:
014323

WELL TYPE
Gas Well

DRILL DATE: 1956/01/06

TOWNSHIP RANGE SECTION

ELEVATION: 752FT

DRILL DEPTH: 515FT

49N 33W 6

DEPTH TO BED: 35FT

UTM X UTM Y
362,110.33 4,329,654.99
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FEE

S.W.L. (AFTER CASING):

LOG ID:
000189

WELL TYPE
Gas Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION:

DRILL DEPTH: 601FT

49N 33W 7

DEPTH TO BED: 11FT

UTM X UTM Y
361,868.32 4,327,435.98
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 23rd & Holly K.C. - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
019211

WELL TYPE
Exploratory Hole (Mineral Prospect)

DRILL DATE: 1959/09/01

TOWNSHIP RANGE SECTION

ELEVATION: 705FT

DRILL DEPTH: 3,962FT

50N 29W 17

DEPTH TO BED: 59FT

UTM X UTM Y
402,837.20 4,333,976.31
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**005084**WELL TYPE

Private Well

DRILL DATE: 1938/09/28TOWNSHIPRANGESECTIONELEVATION:

788FT

DRILL DEPTH: 130FT

50N

29W

21

DEPTH TO BED: 80FTUTM XUTM Y

403,152.17

4,330,900.26

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****019699**WELL TYPE

Oil Well

DRILL DATE: 1960/10/01TOWNSHIPRANGESECTIONELEVATION:

829FT

DRILL DEPTH: 1,100FT

50N

29W

32

DEPTH TO BED: 30FTUTM XUTM Y

401,203.19

4,328,775.19

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 HINNAH - STRAT TEST - PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****003061**WELL TYPE

Oil Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

772FT

DRILL DEPTH: 4,200FT

50N

30W

17

DEPTH TO BED: 84FTUTM XUTM Y

393,055.35

4,333,066.10

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 ANNE PERRINS.W.L. (AFTER CASING):**LOG ID:****005879**WELL TYPE

Private Well

DRILL DATE: 1940/03/08TOWNSHIPRANGESECTIONELEVATION:

881FT

DRILL DEPTH: 309FT

50N

30W

19

DEPTH TO BED: 10FTUTM XUTM Y

390,987.37

4,331,975.07

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: , NO UNITS IDENTIFIED - Driller's Log AttachedS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
011000

WELL TYPE
Private Well

DRILL DATE: 1947/08/28 TOWNSHIP 50N RANGE 30W SECTION 22 ELEVATION: 812FT

DRILL DEPTH: 93FT UTM X 396,383.29 UTM Y 4,331,801.15

DEPTH TO BED: 25FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: NO WATER - "CAN'T LOCATE"

S.W.L. (AFTER CASING):

LOG ID:
005365

WELL TYPE
Industrial High Capacity Well

DRILL DATE: 1939/05/05 TOWNSHIP 50N RANGE 30W SECTION 23 ELEVATION: 755FT

DRILL DEPTH: 290FT UTM X 396,598.29 UTM Y 4,332,214.16

DEPTH TO BED: 69FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #1 BUCKNER ELEVATOR; OLD 69' WELL DEEPENED

S.W.L. (AFTER CASING):

LOG ID:
003038

WELL TYPE
Oil Well

DRILL DATE: TOWNSHIP 50N RANGE 30W SECTION 28 ELEVATION: 735FT

DRILL DEPTH: 1,902FT UTM X 393,862.33 UTM Y 4,331,206.10

DEPTH TO BED: 90FT ZONE 15

S.W.L. (BEFORE CASING): REMARKS: #1 C.A. WINFREY - DRY - DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
006670

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/28 TOWNSHIP 50N RANGE 30W SECTION 32 ELEVATION: 736FT

DRILL DEPTH: 86FT UTM X 392,060.35 UTM Y 4,329,067.05

DEPTH TO BED: ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: 0.4 MI E OF JCT OWENS SCHOOL RD & BUCKNER RD

S.W.L. (AFTER CASING): 3



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006671**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/29TOWNSHIPRANGESECTIONELEVATION:

736FT

DRILL DEPTH: 89FT

50N

30W

32

UTM XUTM YDEPTH TO BED:

391,960.35

4,329,273.05

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: TEST-HOLE #7S.W.L. (AFTER CASING):**LOG ID:****006672**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/29TOWNSHIPRANGESECTIONELEVATION:

735FT

DRILL DEPTH: 86FT

50N

30W

32

UTM XUTM YDEPTH TO BED:

391,660.35

4,329,580.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: TEST HOLE #8S.W.L. (AFTER CASING): 35**LOG ID:****006673**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/30TOWNSHIPRANGESECTIONELEVATION:

736FT

DRILL DEPTH: 81FT

50N

30W

32

UTM XUTM YDEPTH TO BED:

391,560.35

4,329,477.05

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 6**LOG ID:****004774**WELL TYPE

Private Well

DRILL DATE: 1938/04/20TOWNSHIPRANGESECTIONELEVATION:

908FT

DRILL DEPTH: 247FT

50N

30W

34

UTM XUTM YDEPTH TO BED: 15FT

394,883.29

4,328,192.09

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: JUST N OF HOUSES.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006881**WELL TYPE

Private Well

DRILL DATE: 1941/06/03TOWNSHIP RANGE SECTIONELEVATION: 822FTDRILL DEPTH: 125FT

50N 30W 34

DEPTH TO BED:UTM X UTM Y
396,183.27 4,328,694.11
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****010945**WELL TYPE

Private Well

DRILL DATE: 1949/08/27TOWNSHIP RANGE SECTIONELEVATION: 902FTDRILL DEPTH: 96FT

50N 30W 7

DEPTH TO BED: 24FTUTM X UTM Y
391,118.38 4,335,470.09
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "CAN'T LOCATE"S.W.L. (AFTER CASING):**LOG ID:****020068**WELL TYPE

Oil Well

DRILL DATE: 1960//TOWNSHIP RANGE SECTIONELEVATION: 889FTDRILL DEPTH: 735FT

50N 31W 1

DEPTH TO BED: 35FTUTM X UTM Y
390,116.40 4,337,893.10
ZONE 15S.W.L. (BEFORE CASING):REMARKS: #1 ALLISON - PLUGGED & ABANDONED - 1960S.W.L. (AFTER CASING):**LOG ID:****006722**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/14TOWNSHIP RANGE SECTIONELEVATION: 734FTDRILL DEPTH: 94FT

50N 31W 10

DEPTH TO BED:UTM X UTM Y
386,193.38 4,335,808.07
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 17



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006723**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/15 TOWNSHIP 50N RANGE 31W SECTION 10 ELEVATION: 735FT
DRILL DEPTH: 73FT UTM X 385,793.38 UTM Y 4,335,808.07
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS: REMINGTON ARMS PLANT
S.W.L. (AFTER CASING): 17

LOG ID:**006724**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/15 TOWNSHIP 50N RANGE 31W SECTION 10 ELEVATION: 738FT
DRILL DEPTH: 61FT UTM X 385,593.38 UTM Y 4,335,808.07
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): FT REMARKS:
S.W.L. (AFTER CASING): 12

LOG ID:**003572**WELL TYPE

Oil Well

DRILL DATE: 1936/04/26 TOWNSHIP 50N RANGE 31W SECTION 19 ELEVATION: 919FT
DRILL DEPTH: 1,481FT UTM X 381,608.37 UTM Y 4,333,056.04
DEPTH TO BED: 30FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 TRIPLETT; 0-710' - Driller's Log Attached
S.W.L. (AFTER CASING):

LOG ID:**018763**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1959/11/02 TOWNSHIP 50N RANGE 31W SECTION 35 ELEVATION: 748FT
DRILL DEPTH: 76FT UTM X 387,051.35 UTM Y 4,329,271.04
DEPTH TO BED: 74FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: INDEPENDENCE; DRILLED TO DETERMINE SW BOUNDARY OF
S.W.L. (AFTER CASING): LAKE CITY ALLUVIUM



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**018764**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1959/11/02	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	747FT
<u>DRILL DEPTH:</u>	76FT	50N	31W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				387,251.35	4,329,271.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ INDEPENDENCE; TO DETERMINE SW BLOUNDARY OF LAKE			
<u>S.W.L. (AFTER CASING):</u>			CITY ALLUVIUM #2			

LOG ID:**018765**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1959/11/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	748FT
<u>DRILL DEPTH:</u>	75FT	50N	31W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	73FT				387,251.35	4,329,271.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	@ INDEPENDENCE; TO DETERMINE SW BOUNDARY OF LAKE			
<u>S.W.L. (AFTER CASING):</u>			CITY ALLUVIUM			

LOG ID:**018766**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1959/11/03	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	742FT
<u>DRILL DEPTH:</u>	75FT	50N	31W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	74FT				387,651.35	4,329,271.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	INDEPENDENCE; TO DETERMINE SW BOUNDARY OF LAKE CITY			
<u>S.W.L. (AFTER CASING):</u>			ALLUVIUM			

LOG ID:**018767**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1959/11/04	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	81FT	50N	31W	35	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	79FT				387,751.35	4,329,473.04
					ZONE 15	
<u>S.W.L. (BEFORE CASING):</u>		<u>REMARKS:</u>	INDEPENDENCE; DRILLED TO DETERMINE SW CORNELR OF			
<u>S.W.L. (AFTER CASING):</u>			LAKE CITY ALLUVIUM			



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006665**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1941/01/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	742FT
<u>DRILL DEPTH:</u>	80FT	50N	31W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>	75FT				389,244.35	4,329,708.05
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	17				<u>REMARKS:</u>	

LOG ID:**006666**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1941/01/21	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	743FT
<u>DRILL DEPTH:</u>	93FT	50N	31W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					389,244.35	4,329,407.04
<u>S.W.L. (BEFORE CASING):</u>					ZONE 15	
<u>S.W.L. (AFTER CASING):</u>					<u>REMARKS:</u> S OF ABD MO PAC RR, E OF MO HWY 7 - Driller's Log Attached	

LOG ID:**006667**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1941/01/23	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	740FT
<u>DRILL DEPTH:</u>	91FT	50N	31W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					389,344.35	4,328,902.04
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	14				<u>REMARKS:</u> Driller's Log Attached	

LOG ID:**006668**WELL TYPE

WATER TEST WELL (HOLE)

<u>DRILL DATE:</u>	1941/01/24	<u>TOWNSHIP</u>	<u>RANGE</u>	<u>SECTION</u>	<u>ELEVATION:</u>	741FT
<u>DRILL DEPTH:</u>	81FT	50N	31W	36	<u>UTM X</u>	<u>UTM Y</u>
<u>DEPTH TO BED:</u>					389,244.35	4,328,801.04
<u>S.W.L. (BEFORE CASING):</u>	FT				ZONE 15	
<u>S.W.L. (AFTER CASING):</u>	13				<u>REMARKS:</u> Driller's Log Attached	



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006669**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/27TOWNSHIP RANGE SECTIONELEVATION: 743FTDRILL DEPTH: 89FT

50N 31W 36

DEPTH TO BED:UTM X UTM Y
389,244.35 4,328,601.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS: Driller's Log AttachedS.W.L. (AFTER CASING):**LOG ID:****006674**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1941/01/31TOWNSHIP RANGE SECTIONELEVATION: 742FTDRILL DEPTH: 85FT

50N 31W 36

DEPTH TO BED:UTM X UTM Y
389,444.35 4,329,003.04
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: "ON SITE OF PERMANENT WELL"S.W.L. (AFTER CASING): 16**LOG ID:****006675**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/01TOWNSHIP RANGE SECTIONELEVATION: 743FTDRILL DEPTH: 87FT

50N 31W 36

DEPTH TO BED:UTM X UTM Y
389,444.35 4,329,003.04
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 14**LOG ID:****006676**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/01TOWNSHIP RANGE SECTIONELEVATION: 742FTDRILL DEPTH: 88FT

50N 31W 36

DEPTH TO BED:UTM X UTM Y
389,444.35 4,329,003.04
ZONE 15S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006677**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/07TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 84FT

50N

31W

36

DEPTH TO BED:UTM XUTM Y

389,444.35

4,329,003.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 14**LOG ID:****006678**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/08TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 82FT

50N

31W

36

DEPTH TO BED:UTM XUTM Y

389,444.35

4,329,003.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: Driller's Log AttachedS.W.L. (AFTER CASING): 14**LOG ID:****006679**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/01TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 82FT

50N

31W

36

DEPTH TO BED:UTM XUTM Y

389,444.35

4,329,003.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14**LOG ID:****006680**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/01TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 85FT

50N

31W

36

DEPTH TO BED:UTM XUTM Y

389,444.35

4,329,003.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**006681**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/01/01TOWNSHIPRANGESECTIONELEVATION:

742FT

DRILL DEPTH: 86FT

50N

31W

36

DEPTH TO BED:UTM XUTM Y

389,444.35

4,329,003.04

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 14**LOG ID:****024507**WELL TYPE

Private Well

DRILL DATE: 1966/11/07TOWNSHIPRANGESECTIONELEVATION:DRILL DEPTH: 27FT

50N

32W

14

DEPTH TO BED:UTM XUTM Y

378,368.37

4,333,855.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: RIVER PROFILE STUDYS.W.L. (AFTER CASING):**LOG ID:****009238**WELL TYPE

Oil Well

DRILL DATE: 1946/07/20TOWNSHIPRANGESECTIONELEVATION:

863FT

DRILL DEPTH: 235FT

50N

32W

24

DEPTH TO BED: 24FTUTM XUTM Y

379,397.37

4,332,958.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GAUGH - DRY & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****004825**WELL TYPE

Oil Well

DRILL DATE: 1938/05/27TOWNSHIPRANGESECTIONELEVATION:

940FT

DRILL DEPTH: 525FT

50N

32W

25

DEPTH TO BED: 23FTUTM XUTM Y

379,497.36

4,331,956.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 SWOPE - DRY & ABANDONED, DRILLERS LOG ONLY, 0-295'S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**003366**WELL TYPE

Oil Well

DRILL DATE: 1935/03/TOWNSHIPRANGESECTIONELEVATION:

867FT

DRILL DEPTH: 630FT

50N

32W

27

DEPTH TO BED: 17FTUTM XUTM Y

375,871.36

4,331,154.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 BORGMAN - DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****001511**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

908FT

DRILL DEPTH: 1,205FT

50N

32W

28

DEPTH TO BED: 80FTUTM XUTM Y

374,159.36

4,331,047.00

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****006704**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1941/02/25TOWNSHIPRANGESECTIONELEVATION:

969FT

DRILL DEPTH: 70FT

50N

32W

34

DEPTH TO BED:UTM XUTM Y

376,586.35

4,330,174.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SEWER PROJECTS.W.L. (AFTER CASING):**LOG ID:****004767**WELL TYPE

Oil Well

DRILL DATE: 1938/05/03TOWNSHIPRANGESECTIONELEVATION:

981FT

DRILL DEPTH: 590FT

50N

32W

35

DEPTH TO BED: 32FTUTM XUTM Y

378,092.35

4,329,662.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 DICKINSON; SAMPLES BEGIN @ 445' IN MARMATON, DRILLERS
LOG ABOVE - Driller's Log AttachedS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**002042**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

735FT

DRILL DEPTH:

743FT

50N

33W

25

DEPTH TO BED:

80FT

UTM XUTM Y

370,672.36

4,332,008.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****001509**WELL TYPE

Community Public Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

827FT

DRILL DEPTH:

528FT

50N

33W

32

DEPTH TO BED:

32FT

UTM XUTM Y

363,570.33

4,330,144.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

Mo. Ave. - DRILLER'S LOG ONLY, NO UNITS IDENTIFIED

S.W.L. (AFTER CASING):**LOG ID:****003432**WELL TYPE

Oil Well

DRILL DATE:

1935/09/

TOWNSHIPRANGESECTIONELEVATION:

991FT

DRILL DEPTH:

1,097FT

50N

33W

34

DEPTH TO BED:

15FT

UTM XUTM Y

366,968.35

4,330,977.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):**LOG ID:****003673**WELL TYPE

Noncommunity Public Well

DRILL DATE:

1936/07/03

TOWNSHIPRANGESECTIONELEVATION:

810FT

DRILL DEPTH:

700FT

50N

33W

35

DEPTH TO BED:

45FT

UTM XUTM Y

368,979.35

4,330,474.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:

DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**010929**WELL TYPE

Private Well

DRILL DATE: 1949/08/12TOWNSHIP RANGE SECTIONELEVATION: 814FTDRILL DEPTH: 87FT

51N

30W

28

UTM XUTM YDEPTH TO BED:394,591.37 4,339,570.19
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS: DEEPENED TO ABT 120' IN 1960S.W.L. (AFTER CASING): 8**LOG ID:****011951**WELL TYPE

Private Well

DRILL DATE: 1952/08/05TOWNSHIP RANGE SECTIONELEVATION:DRILL DEPTH: 235FT

51N

30W

34

UTM XUTM YDEPTH TO BED: 110FT396,865.32 4,338,679.24
ZONE 15S.W.L. (BEFORE CASING):REMARKS: formerly in name of N. Bogurd - ON LOT IN OLD PART OF SIBLEYS.W.L. (AFTER CASING):**JACKSON**